# RIO - FR-OUTDOOR

biba
SALOTTI

## RIO

Categoria/*Category:* E

Composizione/*Composition:*
70% Polypropylene - 30% Polyester

Martindale: 50.000 giri/*rubs*

# RIO 1 - FR-OUTDOOR



biba
SALOTTI

## RIO 1

Categoria/*Category:* E

Composizione/*Composition:*
70% Polypropylene - 30% Polyester

Martindale: 50.000 giri/*rubs*

# RIO 2 - FR-OUTDOOR



biba
SALOTTI

## RIO 2

Categoria/*Category:* E

Composizione/*Composition:*
70% Polypropylene - 30% Polyester

Martindale: 50.000 giri/*rubs*

# RIO 3 - FR-OUTDOOR



biba
SALOTTI

## RIO 3

Categoria/*Category:* E

Composizione/*Composition:*
70% Polypropylene - 30% Polyester

Martindale: 50.000 giri/*rubs*

# RIO 4 - FR-OUTDOOR



biba
SALOTTI

## RIO 4

Categoria/*Category:* E

Composizione/*Composition:*
70% Polypropylene - 30% Polyester

Martindale: 50.000 giri/*rubs*

# RIO 5 - FR-OUTDOOR



biba
SALOTTI

## RIO 5

Categoria/*Category:* E

Composizione/*Composition:*
70% Polypropylene - 30% Polyester

Martindale: 50.000 giri/*rubs*

# RIO 6 - FR-OUTDOOR



biba
SALOTTI

## RIO 6

Categoria/*Category:* E

Composizione/*Composition:*
70% Polypropylene - 30% Polyester

Martindale: 50.000 giri/*rubs*

# RIO - FR-OUTDOOR

**COMPOSIZIONE**: 70%PP – 30%PL
OUTDOOR drenante

**PESO**
770 g/ml

**ALTEZZA**
140 cm

**RESISTENZA ALL' ABRASIONE**
**(Martindale)**
EN ISO 12947-2
50.000 cicli

**PILLING**
ENI ISO 12945-2 2002
Tollerenza da 4 a 5

**SOLIDITA' ALLA LUCE**
EN ISO 105-B02
7

**SOLIDITA' ALLA LUCE**
**INTEMPERIE**
EN ISO 105-B04
6/7

**SOLIDITA' ALLO SFREGAMENTO**
**A SECCO**
4/5

**SOLIDITA' ALLO SFREGAMENTO**
**A UMIDO**
4/5

**SOLIDITA' ALLO SFREGAMENTO**
**ACQUA DI MARE**
5

**SOLIDITA' ALLO SFREGAMENTO**
**ACQUA CLORATA**
5

**REAZIONE AL FUOCO**
BS 5852 SCH. 4 PART.1
T.B. 117 (2013) SECTION 1
EN 1021.1:2014 / EN 1021.2:2014
IMO 2010 FTP CODE PART 8

**MANUTENZIONE E LAVAGGIO**

**COMPOSITION**: 70%PP – 30%PL
OUTDOOR draining

**WHEIGHT**
770 g/ml

**WIDTH**
140 cm

**ABRASION RESISTANCE**
**(Martindale)**
EN ISO 12947-2
50.000 cicli

**PILLING**
ENI ISO 12945-2 2002
Tolerance from 4 to 5

**LIGHT FASTNESS**
EN ISO 105-B02
7

**LIGHT FASTNESS**
**SEVERE WEATHER**
EN ISO 105-B04
6/7

**FASTNESS RUBBING**
**DRY**
4/5

**FASTNESS RUBBING**
**WET**
4/5

**FASTNESS RUBBING**
**SEA WATER**
5

**FASTNESS RUBBING**
**CHLORINATE WATER**
5

**FLAMMABILITY**
BS 5852 SCH. 4 PART.1
T.B. 117 (2013) SECTION 1
EN 1021.1:2014 / EN 1021.2:2014
IMO 2010 FTP CODE PART 8

**CLEANING AND WASHING**

biba
SALOTTI